






version	description	issued by	date
1	initial	Kyo Zhao	



NOTES:

1. THE PARTS ARE NOT ALLOWED TO BUMP, SCRATCH OR RUST DURING ASSEMBLY.
2. THE FASTENERS SHOULD BE TIGHTENED ACCORDING TO THE SPECIFIED TORQUE.
3. INSPECT AND REMOVE SHARP ANGLES, BURRS AND FOREIGN MATTERAL FROM PARTS BEFORE ASSEMBLY

PROPRIETARY AND CONFIDENTIAL
 INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO DYNAMAX CORPORATION. COPYING, REPRODUCING OR THE USE OF THIS INFORMATION FOR ANY PURPOSE OTHER THAN TO PERFORM WORK FOR DYNAMAX CORPORATION WITHOUT THE EXPRESSED WRITTEN PERMISSION OF DYNAMAX CORPORATION, IS PROHIBITED AND UNLAWFUL.

ITEM	PN	NAME	QTY	UNIT	NOTE
1					
TOLERANCES UNLESS OTHERWISE SPECIFIED		DRAWN Kyo	DATE 2021/12/6	 TITLE: FX1250 Emitter OVER SIZE (RediCure, PrimeCure, VisiCure)	
DIMENSIONS ARE IN INCHES		CHECKED	DATE		
FRACTIONAL ± 1/32		MANUFACTURING	DATE		
ONE PLACE DECIMAL X ± .03		Q.A.	DATE		
TWO PLACE DECIMAL XX ± .01		SCALE: 1:2 SHEET 1 OF 1		SIZE A3	DWG. NO. 88801/88802/88803
THREE PLACE DECIMAL XXX ± .005				REV 1	
ANGULAR: ± 1°					
REMOVE ALL BURRS & BREAK SHARP EDGES .1 - .3 R. OR CHAMFER					